

10 Most Popular REDCap Shared Library Instruments

Instrument Title	Description
SF Health Survey Instrument	A set of generic, coherent, and easily administered quality-of-life measures. These measures rely upon patient self-reporting and are now widely utilized by managed care organizations and by Medicare for routine monitoring and assessment of care out patients.
Patient Health Questionnaire	The Patient Health Questionnaire (PHQ) is a self-administered version of the PRIME-MD diagnostic instrument for common mental disorders. The PHQ-9 is the depression module, which scores each of the 9 DSM-IV criteria as "0" (not at all) to "3" (nearly every day). The PHQ-9 was completed by 6,000 patients in 8 primary care clinics and 7 obstetrics-gynecology clinics. Construct validity was assessed using the 20-item Short-Form General Health Survey, self-reported sick days and clinic visits, and symptom-related difficulty. Criterion validity was assessed against an independent structured mental health professional (MHP) interview in a sample of 580 patients.
APACHE II Severity of Disease Classification System	A severity of disease classification system. APACHE II uses a point score based upon initial values of 12 routine physiologic measurements, age, and previous health status to provide a general measure of severity of disease. An increasing score (range 0 to 71) was closely correlated with the subsequent risk of hospital death for 5815 intensive care admissions from 13 hospitals. This relationship was also found for many common diseases. When APACHE II scores are combined with an accurate description of disease, they can prognostically stratify acutely ill patients and assist investigators comparing the success of new or differing forms of therapy. This scoring index can be used to evaluate the use of hospital resources and compare the efficacy of intensive care in different hospitals or over time.
Center for Epidemiological Studies Depression Scale	A widely used self-assessment tool for screening levels of depression
CDASH Demographics	CDASH Version 1.1 was developed via CDISC's consensus-based standards development process that included comments from organizations in all three ICH regions (US, Europe and Japan). It describes the basic recommended (minimal) data collection fields for 18 domains, including common header fields, and demographic, adverse events, and other safety domains that are common to all therapeutic areas and phases of clinical research. CDASH V 1.1 also includes implementation recommendations and best practice guidelines, regulatory references and other information on the CDASH project.
Charlson Comorbidity Index	Widely accepted validated instrument which predicts the one year mortality for a range of co-morbid conditions.
Agitated Behavior Scale	The Agitated Behavior Scale (ABS) was developed to assess the nature and extent of agitation during the acute phase of r
BRFSS Demographics Survey	The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, on-going telephone health survey system, tr
CDASH Adverse Events	CDASH Version 1.1 was developed via CDISC's consensus-based standards development process that included comments
Barthel Index	A measure of someone's ability to function in daily activities including mobility.

Condensed List of All REDCap Shared Library Instruments Available as of 12/16/15

Instrument Title	Description
2015 Conference Oral and/or Poster Abstract Submission Form	A survey used to collect abstracts for the 2015 UK CCTS Spring Conference
6th Floor Call-Ins	Nurse call-in tracking tool.
Academic Medical Centers Population Health Best Practice Search	Survey of Medical Centers for recommendations regarding their Population Health Departments and Best Pract
ACC Interview	Interview Feedback
ACT	ACT
Adolescent Outcomes Questionnaire Parent Reported	The Pediatric and Adolescent Outcomes Instruments are designed to assess patients under 19 years of age over
Adolescent Outcomes Questionnaire Self Reported	The Pediatric and Adolescent Outcomes Instruments are designed to assess patients under 19 years of age over
Adolescents with VADs	to determine what interventions are being used to treat depression in adolescents awaiting heart transplantati
Adverse Event Log	A record form to record adverse events in a trial.
ADVERSE EVENT-1	Adverse event reporting for device trial
Adverse Events	Dropdown list of all CTCAE v.4 terms. Common AEs may be moved to the top of the list for ease of use. Users sh
Adverse Events	Oncozene CRF
Adverse Events	Pio AE CRFs
Adverse Events With Branching Logic	An instrument that allows you to add multiple adverse events as a log. It allows for 30+ adverse events to be ad
AEs and SAEs	AEs and SAEs
Agitated Behavior Scale	The Agitated Behavior Scale (ABS) was developed to assess the nature and extent of agitation during the acute
Alumni Job Information	A survey to gather information on students who completed and graduated with an education degree.
Anesthesia Stat Call Database	Anesthesia Stat Call Database
APACHE II Severity of Disease Classification System (version1)	A severity of disease classification system. APACHE II uses a point score based upon initial values of 12 routine p
Apache II Severity Of Disease Classification System (with scoring)	A severity of disease classification system. APACHE II uses a point score based upon initial values of 12 routine p
Application for Use of Radioactive Materials (RAM) and X-Rays in Research Involving Human Subjects	Application for Use of Radioactive Materials (RAM) and X-Rays in Research Involving Human Subjects
Application of Best Practices in Evaluation and Treatment of Agitation Protocol: Understanding the Clinical Barriers to Implementation	Survey for barriers to BETA protocol Implementation
Article Review	A template for extracting information from primary studies when conducting literature searches.
AS Student Survey 2014	Annual Student CoARC Survey
Attitudes And Knowledge Pre-training Survey: Social Work	Pre-Training Survey for Adolescent SBIRT training
Autism Parenting Stress Index (APSI)	The APSI is a measure of parenting stress specific to core and co-morbid symptoms of autism that has been vali

Barriers To Diabetes Adherence	A measure of psychosocial barriers to adherence in adolescents with type 1 diabetes (T1D) and examine relatio
Barriers To Diabetes Adherence Scored	A measure of psychosocial barriers to adherence in adolescents with type 1 diabetes (T1D) and examine relatio
Barthel Index	A measure of someone's ability to function in daily activities including mobility
Baseline Knowledge Questions: Social Work	Complete knowledge questions immediately following adolescent SBIRT training.
Baseline Survey (Asunción)	Preguntas para mejorar la implementacion de eTHR
Baseline Transplant Information	Baseline Enrollment Template
Biomarker Collection	Biomaker Blood
Box Informational Meeting	Survey on the Box meeting
Breast Biopsy Experience Study	anxiety and pain pre and post breast biopsy
Breast CEDM Pathology	Breast CEDM Pathology
Behavioral Risk Factor Surveillance System	Individual Modules: Pre-Diabetes, Prostate Cancer Screening, Colorectal Cancer Screening, Cancer Survivorship, Adult Asthma History, Arthritis Management, Tetanus Diphtheria Adults, Shingles, Caregiver, General Preparedness, Diabetes, Reactions to Race, Random Child Selection, Childhood Asthma Prevalence, Childhood Immunizations, Child Human Papilloma Virus, Tetanus Diphtheria Adolescents, Healthy Days (Symptoms), Visual Impairment and Access to Eye Care, Inadequate Sleep, Cardiovascular Health, Actions to Control High Blood Pressure, Heart Attack and Stroke, Women's Health, Health Status, Asthma, Tobacco Use, Demographics, Caregiver Status, Disability, Alcohol Consumption, Immunization, Arthritis Burden, Fruits and Vegetables, Physical Activity, Healthy Days Health-Related Quality of Life, HIV-AIDS, Emotional Support and Life Satisfaction, Cancer Survivors, Health Care Access, Sleep, Exercise, Hypertension Awareness, Cholesterol Awareness, Cardiovascular Disease Prevalence, Estado de Salud, Das En Los Que Se Siente Bien, Acceso a Cuidados Medicos, Sueno Insuficiente, Conocimiento De Su Hipertension, Conocimiento de su Colesterol, Afecciones Cronicas
BRIEF - Parent Version	BRIEF-Parent
Brief Health Literacy Screening (BHLS)	This is a 3 question instrument to determine health literacy of patients.
Burn Specific Health Scale - Brief (BSHS-B)	The Burn Specific Health Scale (BSHS) is an outcome scale designed specifically for burn patients. The scale has
Buss-Perry Scale	Aggression questionnaire - A self-rating scale which has quickly become the gold-standard for the measurem
CAHPS APQ 1.0 (RS-4 Points)	The CAHPS Clinician & Group Survey asks adult patients to report on and rate the quality of care received i
CAHPS APQ 1.0 (RS-6 Points)	The CAHPS Clinician & Group Survey asks adult patients to report on and rate the quality of care received i
CAHPS APQ 1.0+supplemental - (RS-4 Points)	The CAHPS Clinician & Group Survey asks adult patients to report on and rate the quality of care received i
CAHPS APQ 1.0+supplemental - (RS-6 Points)	The CAHPS Clinician & Group Survey asks adult patients to report on and rate the quality of care received i
CAHPS Clinician Group Surveys Child Visit Survey 2.0	The Visit Survey asks respondents about experiences during their child's most recent visit with a provider, as op
Caloric	vng caloric
Candidate Application Evaluation	All Committee Members must complete a Candidate Application Evaluation for each application received.
CARE Award Registry	This registry may be used to track patients enrolled in the CARE Award. The registry incorporates all of the core
Case Log	Case log for CVPT Students
CBC c Diff	StatVax
CCAS STS v322	CCAS data entry
CCRT Study Startup Information	CCRT Study Startup Information
CCTS Study Initiation Timelines	Centralized location in which users can capture a year's worth of study start-up information.
CDASH	Modules: Adverse Events, Common Identifiers, Demographics, Protocol Deviations
Center for Clin and Transla Science - Regulatory Service Rating Form	Survey
Center for Epidemiologic Studies Depression Scale (CES-D), NIMH	A widely used self-assessment tool for screening levels of depression
Cystic Fibrosis Questionnaire-Revised	Modules: Adolescents and Adult Patients 14 Years and Older, Children Ages 12-13 Self-report, Children Ages 6-11 Interviewer, Caregivers Children Ages 6-13
Chan_Musculoskeletal Survey	Chan Scholars Survey
Charlson Comorbidity Index	Widely accepted validated instrument which predicts the one year mortality for a range of co-morbid condition
Chart+ Training Survey	Follow-up evaluation of onsite training
Chemotherapy Simulation Lab Evaluation	Sim and skill station evaluation from 2014 and prior
Childs Sleep Habits Questionnaire CSHQ	Parent-reported screening survey designed to assess behavioral and medically based sleep problems in school c
CK Total	StatVax
CLABSI Caregiver Survey	The purpose of this survey is to better understand how we can improve central venous catheter (central line) te
Clinical evaluation UNIGE	Clinical evaluation UNIGE
Clinical Lab Results for Cocci Studies	Lab results of interest for coccidiomycosis research.
Clinical Supervisor Self-Evaluation	Clinical Supervisor Self-Evaluation
Clinical Variables - Intubation	clinical relevant variables present during
Cognitive and Affective Mindfulness Scale-Revised (CAMS-R)	As interest grows inmindfulness training as a psychosocial intervention, it is increasingly important to quantify t
Comorbidities	comorbidities of patients with influenza
Completion Data	StatVax
Concomitant Medication Log	Record cases' concomitant medications
Concomitant Medications	collection of medications used by subjects

Concomitant Medications	Conmed CRF
Concomitant Medications	Pioglitazone Conmed CRF
confidence Q	confidence Questionnaire
Consent Forms	Includes consent version, date consented, etc.
Coping Strategies Questionnaire Revised (CSQ-R)	The CSQ-R consists of 27 items from the original CSQ, measuring 6 dimensions of coping techniques.
Cosmetic Outcomes	Breast Surgery Cosmetic Scoring Sheet
Costs And Consequences Questionnaire Baseline	Costs and Consequences of health services
Counselor's Version: Tobacco Intake Form (TIF)	Counselor's survey for patient tobacco/smoking history and proposed cessation strategies.
Course Reduction Approval Form	Form for use in the Public Health Office
CRBB Submission Form	CRBB Submission Form
CRROSS Screening Form Template	This instrument will serve as a template for CRROSS Pre-Screening Forms to be used during initial volunteer recruitment.
CRU Computer Hardware	Tracking of computer hardware
CTSI Master 7 Report Card Questions	CTSI Master 7 Report Card Questions
CTSI-CN Pilot Studies Follow-up 2	This survey is for the purpose of tracking and follow-up evaluation of the CTSI-CN pilot study program at CNMS.
Cuestionario de Síntomas DePaul (DePaul Symptom Questionnaire: Spanish)	El Cuestionario de Síntomas de DePaul es una medida de auto-informe del síndrome de fatiga crónica (SFC) y er
Cumulative Illness Rating Scale (CIRS)	The Cumulative Illness Rating Scale was designed to meet the need for a brief, comprehensive and reliable instr
Current Medications	Current Medications
Cycle 2 Blood Counts	For recording of lab tests recorded during non-treatment days, not required per protocol.
Cystectomy Database	Modules: Demographics, Pre-Op Info, Op Info, Post-Op Info, Pathology
Daily Doses and Levels - Pediatric ICU mobilization project	PICU medication doses and vent support levels
DASH - Disabilities of the Arm, Shoulder and Hand	The Disabilities of the Arm, Shoulder and Hand (DASH) Outcome Measure is a 30-item, self-report questionnaire
Decannulation demographic and airway procedures form	Data form for demographics and airway procedures for decannulation attempts
Decision Self-Efficacy Scale	The 'Decision Self-Efficacy Scale' measures self-confidence or belief in one's abilities in decision making, includin
Delivery Information	delivery information
Demographic And Health Information	Demographic And Health Information
Demographics	Patient Demo
Demographics	Gastric cancer patient demographics
Demographics - anesthesiology	Demos for anesthesiology
Demographics - Pediatric ICU mobilization project	Basic demographic info about PICU patients who are ventilated
Demographics - RFA	RFA demographics
Demographics- intubation study	neonatal intubation study
DePaul Symptom Questionnaire	The DePaul Symptom Questionnaire is a self-report measure of chronic fatigue syndrome (CFS) and Myalgic Enc
Deployment Leader Selection Matrix	Matrix to select criteria that will be used to choose a change management Lean deployment leader
Diabetes Adherence Problem Solving Questionnaire	The DAPSQ is a brief instrument for assessment of diabetes self-management problem solving in youth with T1
Diabetes Adherence Problem Solving Questionnaire Scored	The DAPSQ is a brief instrument for assessment of diabetes self-management problem solving in youth with T1
Diabetes Numeracy Test	The DNT, DNT15 and the DNT 5 are assessment tests designed to investigate numeracy skills in patients with dia
Diabetes Numeracy Test 15 (DNT 15)	The DNT 15 is a shortened version of the Diabetes Numeracy Test (DNT). The DNT, DNT15 and the DNT 5 are as
Diabetes Numeracy Test 5 (DNT 5)	The DNT 5 is a shortened version of the Diabetes Numeracy Test (DNT). The DNT, DNT15 and the DNT 5 are asse
Diagnostic Radiology Vanderbilt Adult	EPIC radiology vandy adults
Diet Habit Survey	The Diet Habit Survey was designed to identify eating habits and measure dietary changes made over time by 4
Disease Evaluation	Disease Evaluation
Distress Thermometer and FU	distress
Dizziness Handicap Inventory Scored	The 25-item Dizziness Handicap Inventory (DHI) was developed to evaluate the self-perceived handicapping effe
Dizziness Handicap Inventory Unscored	The 25-item Dizziness Handicap Inventory (DHI) was developed to evaluate the self-perceived handicapping effe
Dose Management Log	Used to record changes in dosing of the study drug
Drug Accountability Log	Record capsules dispensed and returned for a clinical drug trial
Drug therapy problem/resolution form 1	a data collection form for drug therapy problems and resolutions
Dti Label	Fields for data storage from processing Diffusion Tensor Images (DTI) using Bennett Landman's QA_DTI toolbox.
Durations And Other - Pediatric ICU mobilization project	PICU drugs and other intervention/treatment measurements
Early Childhood Behavior Questionnaire (ECBQ) Very Short	The ECBQ grew from an effort to supplement the Toddler Behavior Assessment Questionnaire (TBAQ), which w
Early Childhood Behavior Questionnaire Short Form (ECBQ-SF)	The ECBQ grew from an effort to supplement the Toddler Behavior Assessment Questionnaire (TBAQ), which w
EASI (and BSA) Score --- Eczema Subjects ONLY	EASI score calculator
Eating Disorders Examination Questionnaire (EDE-Q)	The EDE-Q is a self report version of the Eating Disorder Examination (EDE), the well established investigator-ba
Eating Disorders Examination Questionnaire 6.0 (EDE-Q6)	The EDE-Q and EDE-Q 6.0 are self-report versions of the Eating Disorder Examination (EDE), the well established
ECG	ECG

ECG UNIGE	ECG UNIGE
Echocardiogram	Echocardiogram
EchoPlus Case Report Form	Basic demographics, cardiology history, and lab tests.
Ecocardiogramma	Echo
Economic Hardship	financial strain
Electrocardiogram	Basic electrocardiogram.
Electrocardiogram (ECG)	Electrocardiogram (ECG)
Eligibility	Eligibility Checklist Template
Eligibility	rad Onc H & N cancer eligibility
Ematochimici	Ematochimici
Emergency Department EKG Process Analysis	This instrument is designed to assist with a process analysis of emergency department EKG performance toward
EMS Stress and PTSD	This survey examines Emergency Medical Service personnel (Emergency Medical Technician and Paramedic) att
ENCUESTA KOOS PARA LA EVALUACIÓN RODILLA (KOOS Spanish)	"The KOOS questionnaire was developed in the 1990s as an instrument to assess the patient's opinion about th
End of Treatment / Study Form	End of Tx CRF
Enrollment	Enrollment Template
EPIC-26	The Expanded Prostate Cancer Index Composite Short Form - This questionnaire is designed to measure Quality
ESR	StatVax
Expanded Prostate Cancer Index Composite (EPIC 2.2002)	The Expanded Prostate Cancer Index Composite (EPIC) is a comprehensive instrument designed to evaluate pat
Experience In Close Relationships Revised (ECR-R)	A 36-item measure of adult attachment style. The ECR-R measures individuals on two subscales of attachment:
Experience In Close Relationships Revised (ECR-R) Scored	A 36-item measure of adult attachment style. The ECR-R measures individuals on two subscales of attachment:
Extended Glasgow Outcome Scale - GOSE	Description:The Glasgow Outcome Scale (GOS) is the most widely used outcome measure after traumatic brain
Facebook	Pilot study to assess needs of social media policy
Facility Activity Log (FAL)	Individual weekly exercise logs for capturing data at Prevention Center.
FACIT-F (Version 4)	FACIT-F: Functional Assessment of Chronic Illness Therapy-Fatigue The FACIT Measurement System is a collecti
Fact-B Version 4	FACT-B: For patients with Breast cancer. http://www.facit.org/FACITOrg The FACIT Measurement System is a col
FACT-BMT (Version 4) - Scored	For patients undergoing Bone Marrow Transplantation. http://www.facit.org/FACITOrg The FACIT Measurement
FACT-G (Version 4)	FACT-G: Functional Assessment of Cancer Therapy - General (constitutes the core of all subscales; the FACT-G ca
Fagerstrom Test for Cigarette Dependence (formerly Fagerstrom Test for Nicotine Dependence)	A valid six question self-reporting measure of cigarette dependence.
Family History	Record outside family skin cancer and cancer history of a patient's parents, grandparents, full-blood siblings, an
Fecal Incontinence Quality of Life Scale	A health-related quality of life scale developed to address issues related specifically to fecal incontinence, the F
Fecal Incontinence Severity Index	A tool that can be used to assess severity of fecal incontinence.
Fire Alarm Response Questionnaire	A brief survey to gather information concerning a fire alarm activation.
Floating Workgroup Survey	Survey for RN's regarding floating
fMRI Quality Assurance	This shared library can be used in conjunction with Bennett Landman's fMRI QA pipeline and other bits of code
Fmri Quality Assurance Version 2	This shared library can be used in conjunction with Bennett Landman and Baxter Roger's fMRI QA pipeline and
Follow up data	follow up survey sent to vte patients about their experience on the drug and the reason they chose it
Follow Up/ Disease Recurrence	Created for Follow up for Radical Cystectomy patients
Follow-up	Cardiovascular Disease Follow-Up Tool
Followup Egd	post ablation collection
FORM 4: GBS CASE V98_28OBTP	Case Definition
Freesurfer Reconstruction Stats	This instrument provides ~2655 text fields whose names correspond to output gleaned from stats files produce
Frequency and Severity of Vasomotor Symptoms in Peri and Post-Menopausal Women with Epilepsy	This collection of data is a survey regarding hot flashes and flushes in peri- and post-menopausal women with e
Fsl First Stats	This shared library can be used in conjunction with Bennett Landman's FSL First pipeline and other bits of code
Generalized Anxiety Disorder 7 Item (GAD 7) Scale	The GAD-7 was developed as a brief scale for anxiety during development of the PHQ.
Generalized Anxiety Disorder 7 Item (GAD7) Scale Score	The GAD-7 was developed as a brief scale for anxiety during development of the PHQ.
Geriatric Depression Scale GDS Long Form	Basic screening measure for depression in older adults
Geriatric Depression Scale GDS Short Form	This scale was developed as a basic screening measure for depression in older adults.
Graduate Survey	The Giving Game: Graduate Student Alumni's Propensity for Involvement An independent study project to exan
Hamilton Anxiety Scale (HAM-A)	The Hamilton Anxiety Scale (HAM-A) is a rating scale developed to quantify the severity of anxiety symptomato
Hamilton Depression Rating Scale (HAM-D)	The HAM-D is designed to rate the severity of depression in patients. Although it contains 21 areas, calculate th
HCG Pregnancy Test	Data collection form to reflect if pregnancy test was performed and results of test.
Health Questionnaire	A form designed my our lab to capture participants' health and demographics information.
Health Related Quality Of Life (HRQOL) Spanish	HRQOL is a broad multidimensional concept that usually includes self-reported measures of physical and menta
Height	Height CRF

Heilbrigðismat Heilsutorgs Háskólanema	Heilbrigðismat Heilsutorgs Háskólanema
Hepatic Function Panel	StatVax
HOOS Hip Survey	HOOS is developed as an instrument to assess the patients' opinion about their hip and associated problems. It
ICD10 MDI Major Depression Inventory	a self report mood questionnaire
Identificação	Questionário de identificação modelo
IDH Clinical Questionnaire	Data collection tool for HTLV-1/IDH patients
iDXA Body Composition Data	Body Comp Template
IKDC Subjective Knee Evaluation Form Not Scored	A knee specific measure of symptoms, function and sports activity.
IKDC Subjective Knee Evaluation Form Scored	A knee specific measure of symptoms, function and sports activity.
Illness Perception Questionnaire (IPQR)	"Research using a variety of different assessment techniques suggests patients cluster their ideas about an illne
Illness Perception Questionnaire (IPQR)-Scored	"Research using a variety of different assessment techniques suggests patients cluster their ideas about an illne
IMSVISUAL	Survey regarding ongoing vision research at potential IMSVISUAL sites.
Inclusion/Exclusion	Oncozone I/E
Inclusion/Exclusion	Pioglitazone I/E CRF
Infant Behavior Questionnaire - Revised (IBQ-R)	The original IBQ was developed by Dr. Rothbart in the early 1980s and first reported in the 1981 Child Developm
Infant Behavior Questionnaire Revised (very short) - IBQ-Rvsf	The original IBQ was developed by Dr. Rothbart in the early 1980s and first reported in the 1981 Child Developm
Informed Consent	consent
Initial Maternal Information	Pregnancy initial intake information form
Initial Visit Paperwork	Collects demographic information for initial psychological appointment in a pediatric setting.
Initial Visit Paperwork--II	Collects demographic information for initial visit at behavioral psychology appointment.
Insomnia Stream Sleep Diary	Sleep diary for children who are struggling with insomnia and sleep disturbance
Integrated Care Practice Survey	Integrated Care Practice Survey
Interpersonal Reactivity Index	The Interpersonal Reactivity Index is a measure of dispositional empathy that takes as its starting point the noti
Interpersonal Support Evaluation List (ISEL-12)	The Interpersonal Support Evaluation List-12 (ISEL-12; Cohen, Mermelstein, Kamarck, & Hoberman, 1985) is bro
Interpersonal Support Evaluation List (ISEL-12) Score	The Interpersonal Support Evaluation List-12 (ISEL-12; Cohen, Mermelstein, Kamarck, & Hoberman, 1985) is bro
Interpersonal Support Evaluation List (ISEL)	The ISEL was designed to measure perceptions of social support among individuals in the general population
Interpersonal Support Evaluation List (ISEL)-Scored	The ISEL was designed to measure perceptions of social support among individuals in the general population.
Interprofessional Evaluation: Fellows	Interprofessional Evaluation: Fellows
Intro to res methds course work	survey for introduction to research course MPH program
Inventory of Socially Supportive Behaviors (ISSB)	The scale is used for measuring the extent of social support systems the respondent has experienced in the last
Investigational Devices Form	Investigational Devices Form
Investigational Drug Services (IDS) Form	Investigational Drug Services (IDS) Form
IOWA Oral Pressure Instrument (IOPI)	IOWA Oral Pressure Instrument (IOPI)
IPAQ Long Last 7 Days Self Admin	The purpose of the International Physical Activity Questionnaires (IPAQ) is to provide a set of well-developed in
IPAQ Long Last 7 Days Telephone	The purpose of the International Physical Activity Questionnaires (IPAQ) is to provide a set of well-developed in
IPAQ Short Last 7 Days Self Admin	The purpose of the International Physical Activity Questionnaires (IPAQ) is to provide a set of well-developed in
IPAQ Short Last 7 Days Telephone	The purpose of the International Physical Activity Questionnaires (IPAQ) is to provide a set of well-developed in
IRB Phone Log	Operations Support
KATZ Basic Activities of Daily Living (ADL) Scale	The Katz Index of Independence in Activities of Daily Living, commonly referred to as the Katz ADL, is an instrum
Koos Knee Survey	KOOS is developed as an instrument to assess the patients opinion about their knee and associated problems. K
KUPhysical Assessment Form10	KU - Physical Assessment form
Lab Results	Document lab values for various parameters
Labs	Labs
Labs	Lab CRF
Lawton-Brody Instrumental Activities of Daily Living Scale (IADL)	Self-reported instrument to assess independent living skills
Library Candidate Evaluation	Please use this form to communicate your observations and evaluations of the candidate who recently interview
Library-Mediated Searches: Patron Information (University of Florida)	This and three accompanying instruments were designed for and by the Biomedical and Health Information Ser
Library-Mediated Searches: Search Question and Limits (University of Florida)	This and three accompanying instruments were designed for and by the Biomedical and Health Information Ser
Library-Mediated Searches: Search Strategies and Databases (University of Florida)	This and three accompanying instruments were designed for and by the Biomedical and Health Information Ser
Library-Mediated Searches: Stats And Deliverables (University of Florida)	This and three accompanying instruments were designed for and by the Biomedical and Health Information Ser
Lip Force Meter (LF100)	Lip Force Meter (LF100)
Lipid Panel	StatVax
Locke-Wallace Marital Adjustment Test (MAT)	The Locke-Wallace Short Marital-Adjustment Test is a 15 item instrument, which as the test name would sugges

Locke-Wallace Marital Adjustment Test (MAT) - Scored	The Locke-Wallace Short Marital-Adjustment Test is a 15 item instrument, which as the test name would suggest
Lower Extremity Functional Scale (LEFS)	The Lower Extremity Functional Scale (LEFS) is a questionnaire containing 20 questions about a person's ability
Lower Extremity Functional Scale (LEFS) - Scored	The Lower Extremity Functional Scale (LEFS) is a questionnaire containing 20 questions about a person's ability
Lung cancer stereotypes	This is a survey describing healthcare providers' biases and feelings towards patients with lung cancer.
Marwit-Meuser Caregiver Grief Inventory (MM-CGI)	An empirically based, psychometrically sound instrument for the assessment of grief in caregivers of persons w
Marwit-Meuser Caregiver Grief Inventory (MM-CGI) Scored	An empirically based, psychometrically sound instrument for the assessment of grief in caregivers of persons w
Marx Activity Scale	A rating scale to measure activity levels of patients with knee disorders.
Measurements	Measurements
Medical History	Patient history
Medical history UNIGE	Medical history UNIGE
Medications	Medications
Medications UNIGE	Medications UNIGE
Memorial Symptom Assessment Scale	The Memorial Symptom Assessment Scale (MSAS) is a new patient-rated instrument that was developed to pro
Metabolism and Prostatic Disease	clinical database for Prostate samples
Modified Duke's criteria for Staph bacteremia	Duke's criteria for Staph bacteremia. Excludes criteria involving Q fever, etc.
Morbidity and Mortality Review	rough database for mortality review
Morning Practice Mon1	Morning Practice Mon1
Multi Atlas Stats	This shared library can be used in conjunction with Bennett Landman's and Andrew Asman's Multi Atlas pipelin
Multidimensional Fatigue Inventory	The MFI is a 20-item scale designed to evaluate five dimensions of fatigue: general fatigue, physical fatigue, red
Multidimensional Fatigue Inventory Scored	The MFI is a 20-item scale designed to evaluate five dimensions of fatigue: general fatigue, physical fatigue, red
Multidimensional Health Locus of Control (Form A)	Forms A & B are the "general" health locus of control scales that have been in use since the mid-late 1970'
Multidimensional Health Locus Of Control (Form B)	Forms A & B are the "general" health locus of control scales that have been in use since the mid-late 1970'
Multidimensional Health Locus Of Control (Form C)	Form C is designed to be "condition-specific" and can be used in place of Form A/B when studying people with .
Multidisciplinary Competencies in the Care of Older Adults	This self-efficacy instrument was developed based on a set of baseline educational competencies that are uniqu
Multiple Sclerosis Quality of Life (MSQOL-54)	The MSQOL-54 is a multidimensional health-related quality of life measure that combines both generic and MS
Nasogastric Tube Verification	Nasogastric tube verification
NCAST	Breastfeeding
NCI Standard Demography Module Template	The purpose of the Demography module template is to collect a standardized subset of clinical data, patient/pa
Neck Disability Index (NDI)	The Neck Disability Index (NDI) is a 10-item questionnaire for self-rating of disability due to neck pain. Each item
Neck Disability Index (NDI) - Scored	The Neck Disability Index (NDI) is a 10-item questionnaire for self-rating of disability due to neck pain. Each item
Neonatology Data Request Form	Form for collecting information regarding data requests for the Division of Neonatology
Nephrectomy Database	Modules: Demographics, Pre-Op Info, Op Info, Post-Op Info, Pathology
Neuro-QOL Bank	Modules: Ability to Participate in SRA, Anxiety, Depression, Emotional and Behavioral Dyscontrol, Fatigue, Lex Fact (mobility), Stigma, Uex Fact (Fine Motor, ADL), Pos. Affect and Well being, Satisfaction with SRA, Cognitive Function, Anger, Pain, Communication,
Neurological Event	stroke event
Newborn Survey	A survey inquiring about the newborn hearing screening process and experience
Newest Vital Sign	The Newest Vital Sign (NVS) is a valid and reliable screening tool available in English and Spanish that identifies
Newsletter Communications Survey	Survey of newsletters currently in use
Next Step Form	This is to evaluate interest in an internship after a poverty alleviation program
NF Tracking Sheet	A research tool to help determine the reasons for delay in necrotizing fasciitis at our institution.
NICU Subject Demographics	NICU Stay and D/C summary information
Note to File	A basic tool for recording notes to file for a specific participant ID.
Nursing Education Needs Assessment 2015	Nursing education needs assessment
OB Pre-Registration Form	OB Pre-registration form for Greenville Health System
Oculomotor Testing	oculomotor evaluation
Oncozene-DEB-TACE Injection Log	Oncozene Dose Injection CRF
Opioid Risk Tool (ORT)	The Opioid Risk Tool (ORT) represents a move toward addressing the need to predict who is at risk for opioid ab
Opioid Risk Tool (ORT) - Scored	The Opioid Risk Tool (ORT) represents a move toward addressing the need to predict who is at risk for opioid ab
OPTIMAL INSTRUMENT (1.1)	APTA's Outpatient Physical Therapy Improvement in Movement Assessment Log (OPTIMAL) is an instrument th
OPTIMAL INSTRUMENT (1.1) - Scored	APTA's Outpatient Physical Therapy Improvement in Movement Assessment Log (OPTIMAL) is an instrument th
ORI Main Campus Internal VTE Review	Internal ORI Department Review of reported VTE Cases in ORI
Orthosoulder Survey	EQ5D ASES SST SSV
Other Functional Testing	Other Functional Testing
Outcome Measures - intubation	measurable outcome variables during intubation
Pain Assessment And Documentation Tool PADT	The Pain Assessment and Documentation Tool (PADT) was developed "to focus on key outcomes and provide a

PANAS	The Positive and Negative Affect Schedule (PANAS) measures positive and negative constructs as both states an
Parceria	Avaliação da intenção de formação de parceria entre TI e negócio.
Parenting Sense Of Competence (PSOC)	The PSOC is a 17-item scaled designed to assess parenting self-esteem. It contains two subscales, measuring pa
PAS Mentored Abstract Survey	Survey for those wishing to do a mentored abstract review
Patient Assessment in the Perianesthesia Setting	VPNPP 4 EBP project
Patient Assessment Of Care For Chronic Conditions (PACIC - 20)	The Patient Assessment of Care for Chronic Conditions (PACIC) measures specific actions or qualities of care, co
Patient Assessment Of Care For Chronic Conditions (PACIC - 20) - Scored	The Patient Assessment of Care for Chronic Conditions (PACIC) measures specific actions or qualities of care, co
Patient Contact	Patient contact dates through phone and at clinic with notes
Patient Demographics	Prospective tool to collect hospital readmission patient data.
Patient Health Questionnaire 9	The Patient Health Questionnaire (PHQ) is a self-administered version of the PRIME-MD diagnostic instrument f
Patient Info	patient info
Patient Questionnaire - Glycemic Control	Glycemic control questionnaire used to assess glycemic control in Georgetown, Guyana
Patient Reported Impact of Spasticity Measure (PRISM)	An instrument that measures the impact of spasticity on quality of life
Patient Reported Impact of Spasticity Measure (PRISM) - Scored	An instrument that measures the impact of spasticity on quality of life
PBRN Resource Allocation: Scoring Schematic	Algorithm used to determine study intensity scores based on the research's resource allocation.
PCA Form	Collecting data on amount of PCA given.
PE	Physical Exam with Vitals
Pediatric Infectious Disease Fellowship Annual Evaluation 2014-2015	Program Review
Pediatric Inventory For Parents	The Pediatric Inventory for Parents (PIP) was developed at the Children's Hospital of Philadelphia, within the div
Pediatric Outcomes Questionnaire	The Pediatric and Adolescent Outcomes Instruments are designed to assess patients under 19 years of age over
Pediatric Symptom Checklist (PSC-35)	The Pediatric Symptom Checklist (PSC) is a brief parent report questionnaire that is used to measure overall psy
PedMIDAS	PedMIDAS was developed to assess migraine disability in pediatric and adolescent patients. It has been tested a
PedsQL v4.0 Child Report Ages 8-12	The PedsQL Measurement Model is a modular approach to measuring health-related quality of life (HRQOL) in
PedsQL v4.0 Parent Report For Children Ages 8-12	The PedsQL Measurement Model is a modular approach to measuring health-related quality of life (HRQOL) in
Peer Evaluation Survey 2015	Peer Evaluation Survey for Vanderbilt University Medical Center for paramedics and nurses. Questions for Credo
Pelvic Floor Distress Inventory	The PFDI assesses symptom distress in women with pelvic floor disorders and has 3 scales: UDI (28 items), Colo
Pelvic Floor Distress Inventory - Short Form 20	The short-form version of the Pelvic Floor Distress Inventory has a total of 20 questions and 3 scales (Urinary Di
Pelvic Floor Distress Inventory Short Form 20 Scored	The Pelvic Floor Distress Inventory-20 and Pelvic Floor Impact Questionnaire-7 are valid, reliable, and responsiv
Pelvic Floor Impact Questionnaire PFIQ-SF7	A 7 question version of the Pelvic Floor Impact Questionnaire which measures the effects of bladder, bowel or v
Perceived Diabetes Self Management Scale (PDSMS)	The degree to which patients with a chronic medical condition can successfully self manage their illness is a fun
Perceived Stress Scale (PSS-10)	The Perceived Stress Scale (PSS) is the most widely used psychological instrument for measuring the perception
Pharmaceutical Education Survey	There are approximately 6000 newly diagnosed patients who are treated at Vanderbilt-Ingram Cancer Center (V
Pharmacy Directors w/o Charts Sept 2015	This is a survey of pharmaceutical director respondents to gather information regarding the needs of their depa
Physical	Physical
Physical Exam	PE
Physical Exam	PE form
PICS QI	PICS QI
PICU early mobilization attitude survey	pediatric early mobilization attitude study
PISQ	A condition-specific, reliable, validated and self-administered instrument to evaluate sexual function in women
PISQ-12	The short form of a condition-specific, reliable, validated and selfadministered instrument to evaluate sexual fu
Pittsburgh Sleep Quality Index (PSQI)	The Pittsburgh Sleep Quality Index (PSQI) is a self-rated questionnaire which assesses sleep quality and disturba
PK Collection	PK CRF
Placental Pathology PENDING	Placental Pathology PENDING
Pneumococcal Antibodies Igg	StatVax
Pneumovax Vaccine	StatVax Pneumovax
POMR Form	This form allows researchers to collect information about a hospital's perioperative mortality rate. Designed to
Positional / Positioning	vng positional
Positive Affect Negative Affect Scale - Expanded (PANAS-X)	The PANAS-X assesses the specific, distinguishable affective emotional states that emerge from within the broa
Positive Affect Negative Affect Scale - Expanded (PANAS-X) Scored	The PANAS-X assesses the specific, distinguishable affective emotional states that emerge from within the broa
Post Match Resident Applicant Survey	This is a survey asking for feedback on what influenced the applicants decision about where to rank our program
Post-Discharged Evaluation Survey	Fill out and submit
Postpartum Sleep Information	postpartum sleep study info
Pouchitis	Used to record clinical data related to pouchitis diagnosis, clinical course, and treatment.
Pre Draft2 (11-23-15)	PRE survey instruments
Pre-inservice Survey	january 13, 2012

Prior and Concomitant Medications	Prior and Concomitant Medications
Project Cost Calculation for UH Employees	Project Cost Calculation for UH Employees
Patient Reported Outcomes Measurement Information System	Modules (also available in Spanish): Anxiety, Applied Cog Abilities, Applied Cog General Concerns, Depression, Erectile Function, Fatigue, Global Satisfaction with Sex Life, Interest with Sexual Activity, Lubrication, Pain Behavior, Sleep Disturbance, Sleep-related Impairment, Social Sat DSA, Social Sat Role, Vaginal Discomfort, Alcohol Negative Expectancies, Alcohol Positive Expectancies, Anger, Pain Interference,
Prostatectomy Database Section 1: Demographics	Data collection form for clinical research of patients with prostate cancer. This form includes five sections, Dem
Prostatectomy Database Section 2: Pre Op Info	Data collection form for clinical research of patients with prostate cancer. This form includes five sections, Dem
Prostatectomy Database Section 3: Op Info	Data collection form for clinical research of patients with prostate cancer. This form includes five sections, Dem
Prostatectomy Database Section 4: Post Op Info	Data collection form for clinical research of patients with prostate cancer. This form includes five sections, Dem
Prostatectomy Database Section 5: Pathology	Data collection form for clinical research of patients with prostate cancer. This form includes five sections, Dem
Protocol Deviation	Protocol Deviation
Protocol Deviations	Simple tool for recording protocol deviations related to a specific participant ID.
Pubertal Development Scale	The Pubertal Development Scale (PDS) is a noninvasive measure of pubertal development.
PWV and PWA	PWV and PWA
QIDS-C16	The 30 item Inventory of Depressive Symptomatology (IDS) (Rush et al. 1986, 1996) and the 16 item Quick Inve
QIDS-SR16	The 30 item Inventory of Depressive Symptomatology (IDS) (Rush et al. 1986, 1996) and the 16 item Quick Inve
QPR Pre-Post Training	Survey for QPR Pre and Post Training
Qualifying Status Form	Qualifying Status Form
Quality Of Life - Bronchiectasis (QOL-B)	The Quality of Life-Bronchiectasis (QOL-B) is a new, disease-specific health-related quality of life (HRQOL) meas
Quality Of Life - Bronchiectasis (QOL-B) Scored	The Quality of Life-Bronchiectasis (QOL-B) is a new, disease-specific health-related quality of life (HRQOL) meas
QuickDASH Outcome Measure	The QuickDASH is a shortened version of the DASH Outcome Measure. Instead of 30 items, the QuickDASH uses
Radiation Treatment	Rad Onc H & N radiation treatment
Rand 36 Item SF Health Survey Instrument (Version 1.0)	"A set of generic, coherent, and easily administered quality-of-life measures. These measures rely upon patient
Randomization/Enrollment	A form to type in the dates of enrollment and randomization of study subjects.
Rates of Immunization	Instrument will be used to import de-identified data from Epic. Data will then be reviewed for rate of immuniza
Regulatory Binder - Consent	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - CV	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Data Protection	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Drug / Device	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - DSMB	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - External (Ancillary) Review / Local Ethical Review	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Investigator's Brochure / Device Manual / Package Insert	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - IRB Documentation	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Laboratory Documents	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Licensure	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Logs	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - NIH	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Protocol	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Recruitment & Advertisement	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Sponsor	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Regulatory Binder - Training	The Harvard Longwood Medical Area (HLMA) Quality Improvement Program has developed an Electronic Regul
Reintegration To Normal Living Index RNLIS	Overview: Wood-Daughnee et al developed the Reintegration to Normal Living Index (RNLIS) to evaluate the glo
Reintegration To Normal Living Index RNLIS (scored)	Overview: Wood-Daughnee et al developed the Reintegration to Normal Living Index (RNLIS) to evaluate the glo
Resting State Processing	Tracking form for quality control checking of functional MRI resting state data analysis using AFNI and FreeSurfe
RN Survey	Survey to assess effects of lack of communication RN:LIP:patient
Roland-Morris Disability Questionnaire	The Roland Morris Disability Questionnaire is a widely used health status measure for low back pain. The RMDQ
Roland-Morris Disability Questionnaire Scored	The Roland Morris Disability Questionnaire is a widely used health status measure for low back pain. The RMDQ
Rosenberg Self-Esteem Scale	The Rosenberg Self-Esteem Scale is perhaps the most widely-used self-esteem measure in social science researc
Rosenberg Self-Esteem Scale - Scored	The Rosenberg Self-Esteem Scale is perhaps the most widely-used self-esteem measure in social science researc
Rotary Chair	rc
Routine Lab Testing, Serum mRNA, Micro RNA, DNA and Serum/ Urine PGE2 Levels	Routine Lab Testing, Serum mRNA, Micro RNA, DNA and Serum/ Urine PGE2 Levels
Sample Processing	Blood/Urine sample processing log
Sample Storage	Storage for processed samples
Samples Barcode Form	This is a form used to accept barcodes for samples collected in a cystic fibrosis study. Currently the fields are lat

Satisfaction Survey	Quality Improvement Instrument for Psychological Services.
Satisfaction With Life Scale	The SWLS is a short 5-item instrument designed to measure global cognitive judgments of satisfaction with one
Satisfaction With Life Scale (Scored)	The SWLS is a short 5-item instrument designed to measure global cognitive judgments of satisfaction with one
SCID Dx	A form to enter the codes for SCID diagnoses.
Scintigrafia Miocardica	Scintigrafia Miocardica
Scintigrafia Miocardica 17 segmenti	Scintigrafia Miocardica 17 segmenti
SCOFF Questionnaire	Five questions addressing core features of anorexia nervosa and bulimia nervosa.
SCORING SUMMARY: Vineland	Vineland scores
Screening	Screening Visit for StatVax Clinical Trial
Screening Scans	Screening Instruments
SCU Foley Data Tool	To monitor the compliance with foley maintenance care on SCU
Sepsis Survey	Sepsis Survey for residents
Serratia - Demographics	Demographic input from chart review
Serratia Medical History	Medical History of patients with endocarditis
Short Test of Musical Preferences (STOMP Revised)	The Short Test of Music Preferences-Revised (STOMPR) is a 23-item scale assessing preferences in music genres
Sign-In Form	Useful as an electronic sign in sheet for staff inservices, rounding, etc.
Single Item Health Literacy Screener	The SILS is a simple instrument designed to identify patients with limited reading ability who need help reading
Six Minute Walk Test (6 MWT)	Six Minute Walk Test (6 MWT)
Skin Care Core	Adult Skin Care Core Items
SKULL FRACTURE STUDY: Parent Survey 2 Week Follow-Up	Parental survey for skull fracture at 2 weeks
SMCA-IMC CHG AUDIT	CHG auditing tool
Sociodemographic Questionnaire	Sociodemographic information
SOP Improvement Survey	Survey of 5S SOP format and Guidelines
Spinal Cord Fusion Statistics	This shared library can be used in conjunction with Bennett Landman's and VUIIS Spinal Cord label Fusion pipeli
Spoken Knowledge in Low Literacy in Diabetes Scale (SKILLD)	A new 10-item knowledge scale for patients with type 2 diabetes and poor literacy.
SSBE pts	Good instrument to work on Short segment Barrett's pts
St. George's Respiratory Questionnaire (SGRQ)	The SGRQ is a 50-item questionnaire developed to measure health status (quality of life) in patients with diseas
Stanford Sleepiness Scale	Self-rating scale which is used to quantify progressive steps in sleepiness at a certain point in time.
Status	Allows identification of vital status at most recent follow up
Stepwatch Activity Monitoring (SAM)	Stepwatch Activity Monitoring (SAM)
Stool Sample	Stool sample
stress and phone use	sample class work.
Stress test	Stress test
Study Visit Notes	Study Visit Notes
Study XYZ training	Study training
Subject Contact Information	subject contact
Subjective Numeracy Scale (SNS)	The Subjective Numeracy Scale (SNS) is a self-report measure of perceived ability to perform various mathemat
Subjective Numeracy Scale (SNS) - Scored	The Subjective Numeracy Scale (SNS) is a self-report measure of perceived ability to perform various mathemat
Suture Study Demographics	Suture Study Demographics
Suture Study History & Physical	Suture Study History & Physical
Suture Study OR Data	Suture Study OR Data
Suture Study OR Data	Suture Study OR Data
Suture Study Pre-op	Suture Study Pre-op
Suture Study Six-Week Post-Op	Suture Study Six-Week Post-Op
Suture Study Two-Week Post-Op	Suture Study Two-Week Post-Op
SVV	svv
Swab Test Procedure Note	swab test procedure
Symptoms Toxicity	Symptoms Toxicity
Ten-Item Personality Inventory-(TIPI)	When time is limited, researchers may be faced with the choice of using an extremely brief measure of the Big-
Terapia farmacologica	Terapia farmacologica
The Migraine Disability Assessment Test (MIDAS)	"The Migraine Disability Assessment (MIDAS) score is used to quantify headache-related disability."
The Migraine Disability Assessment Test (MIDAS) - Scored	"The Migraine Disability Assessment (MIDAS) score is used to quantify headache-related disability."
Three Day Sleep Log	3 day sleep log
Timed Writing Task	Timed Writing Task
Tinnitus Handicap Inventory	A self-report tinnitus handicap measure that is brief, easy to administer and interpret, broad in scope, and psych

Total Immunoglobulin	StatVax
Tracheal Intubation	Intubation data
Tracula Stats	This shared library can be used in conjunction with Bennett Landman's and Brian Boyd Tracula pipeline and oth
Training Survey: 3-Month Follow-Up	Follow up on the survey done after completion of training by new employees
Treatment Information	Treatment Information
TSH, 3rd Gen	StatVax
TSI Service Request Form	Request TSI services
UHCMC Derm CTU Adverse Events Log	Modules: Adverse Events Log, Chronometer Assessment, Concomitant Medication Log, Fitzpatrick Skin Type, Informed Consent Documentation, MED Assessment, Medical and Dermatology History, Minor Deviation Log, PASI Score, Photograph of Site, Product Accountability, Punch Biopsy Procedure, Screening Visit, sPGA, Suture Removal Progress, Visit 1, Visit 2,
Ultrasound 1 obgyn	u/s obgyn tool that collects u/s structures and measurements
Upper Extremity Functional Index (UEFI) - Scored	The Upper Extremity Functional Index (UEFI) is a self-administered questionnaire which measures disability in p
Upper Extremity Funtional Index (UEFI)	The Upper Extremity Functional Index (UEFI) is a self-administered questionnaire which measures disability in p
Urine HCG Result	StatVax Urine HCG
Usability	Test Usability study document
Vanderbilt Pediatric Infectious Diseases Didactic Training Eval Form	Didactic Training Evaluation Form
VBM Quality Assurance	This shared library can be used in conjunction with Bennett Landman's VBM QA pipeline and other bits of code
VCUarts Advising - Faculty	Survey of advising faculty
VCUarts Advising - Students	Survey of arts students - related to academic advising needs
Veterans Specific Activity Questionnaire (VSAQ)	"Estimating a patient's symptoms associated with daily activities along with age are the strongest predictors of
vHIT	vhit
Virginia ACORN Clinician Perspective Topic Survey	Used to gather information regarding upcoming clinician perspective topics for future use
Visit Data	StatVax Visit
Visit Information	form to record visit information
Vital Signs	VS CRF
wANNOVAR_aggregate	Data from wANNOVAR with additional Sample ID and Project ID added.
Weekend Staffing project	Weekend staffing project testing
Weight Mock Survey	A mock survey used to feed our master data list
White Matter Stamper Stats	This shared library can be used in conjunction with Bennett Landman's White Matter Stamper pipeline and oth
Whiteley-7 Scale	A screening instrument for somatization illness
WHO (Five) Well-Being Index (1998 version)	Assessment of mental well-being
WHOQOL-BREF	The WHOQOL-BREF instrument comprises 26 items, which measure the following broad domains: physical heal
Work History	Test form for work history
Workshop Evaluation	Evaluation of "Undoing Racism Workshop"